

CHILD CARE ASTHMA/ALLERGY ACTION CARD





ID Photo

Name:			DAILY ASTHM	IA/ALLERGY M.	ANAGEMENT	PLAN	Photo
Grade:	_DOB:		• Identify the thi	ngs that start an asth	ma/allergy episode		
Parent/Guardian Name:			(Check each tha	t applies to the child)			
Address:			— Animals	— Bee/Insect Sting	— Chalk Dust	— Chan	ge in Temperature
Phone (H):	_ (W):		— Dust Mites	— Exercise	— Latex	— Mold	S
Parent/Guardian Name:			— Pollens	— Respiratory Infectio	ns — Smoke	— Stron	g Odors
Address:			— Food:				
Phone (H):	_ (W):		— Other:				
Other Contact Information:			Comments:				
Emergency Phone Contact #1 Name							
Relationship	Phone		 Peak Flow Mor 	nitoring (for children o	ver 4 years old)		
Emergency Phone Contact #2	1 none		Personal Best Pe	eak Flow reading:			
Name							
Relationship	Phone		Monitoring Tim	es:			
Physician Child Sees for Asthma/Allergies	:		Control of Chil	d Care Environment	(List any environm	nental cont	rol measures, pre-
Phone:			medications, and	d/or dietary restrictions	that the child needs	to preven	t an asthma/allergy
Other Physician:			episode.)				
Phone:							
• Daily Medication Plan for Asthma/A	Allergy	Amount		Who	n to Use		
1		Amount		Wilci	i to Osc		
2							
3							
4							
OUTSIDE ACTIVITY AND FIE	LD TRIPS The following m	edications must accom Amount	npany child when participatir	-	d trips: n to Use		
1		7 Hillouit		VV IIC	110 030		
2							
3							

		ASTHMA EMERGENCY PLAN Emergency action is necessary when the child has symptoms such as			ALLERGY EMERGENCY PLAN Child is allergic to:				
1. 2. 3. 4.	a peak flow reading at or	below							
1. 2. 3. 4.	Steps to take during an asthma episode:			Steps to take during an allergy episode:					
 2. 3. 4. 	Check peak flow reading	g (if child uses a peak	flow meter).	1. If the following symptoms occur, give the medications listed below.					
3.4.5.	Give medications as list	ted below.		2. Contact Emergency help and request epinephrine.					
4.5.	Check for decreased syn	mptoms and/or increas	ed peak flow reading.	3. Contact the child's parent/guardian.					
5.	Allow child to stay at cl	nild care setting if:		_					
-	Contact parent/guardian	 I		Symptoms of an allergic reaction include:					
6. Seek emergency medical care if the child has any one of the following:				(Physician, plea	(Physician, please circle those that apply)				
 → No improvement minutes after initial treatment with medication. → Peak flow at or below → Hard time breathing with: Chest and neck pulled in with breathing. Child hunched over. Child struggling to breathe. Trouble walking or talking. Stops playing and cannot start activity again. Lips or fingernails are gray or blue. Emergency Asthma Medications: 		g.	IF THIS HAPPENS, GET EMERGENCY HELP NOW!		 →Mouth/Throat: itching & swelling of lips, tongue, mouth, throat; throat tightness; hoarseness; cough →Skin: hives; itchy rash; swelling →Gut: nausea; abdominal cramps; vomiting; diarrhea →Lung*: shortness of breath; coughing; wheezing →Heart: pulse is hard to detect; "passing out" *If child has asthma, asthma symptoms may also need to be treated. 				
12111	Name	Amount	When to Use	Name	Amount	When to Use			
1	rvanic	Amount	when to Osc	1	Amount	when to osc			
2				2					
3				3					
4				4					
Sp	ecial Instructions:			Special Instruction	is:				
_									